



US007901270B2

(12) **United States Patent**
Bechtold et al.

(10) **Patent No.:** **US 7,901,270 B2**
(45) **Date of Patent:** **Mar. 8, 2011**

(54) **METHOD AND APPARATUS FOR PRECISION POLISHING OF OPTICAL COMPONENTS**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(75) Inventors: **Michael J. Bechtold**, Ontario, NY (US);
Darryle E. Fowler, Shortville, NY (US);
David E. Mohring, Ontario, NY (US);
Thomas Williams, Webster, NY (US);
Robert Henderson, Livonia, NY (US);
Alex DiNicola, Webster, NY (US);
Christopher Wood, Webster, NY (US);
Joseph P. Meisenzahl, East Rochester, NY (US); **Scott Bambrick**, Rochester, NY (US)

1,367,808 A	2/1921	Farrington
2,612,007 A	9/1952	Bell
3,043,061 A	7/1962	Plummer
3,149,441 A	9/1964	Hess
3,524,284 A	8/1970	Mears
4,993,190 A	2/1991	Hiyoshi et al.

(Continued)

(73) Assignee: **Optipro Systems, LLC**, Ontario, NY (US)

FOREIGN PATENT DOCUMENTS

DE	100 31 057 A1	1/2002
----	---------------	--------

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

Primary Examiner—Robert Rose
(74) *Attorney, Agent, or Firm*—Patent Innovations LLC; John M. Hammond

(21) Appl. No.: **12/683,471**

(22) Filed: **Jan. 7, 2010**

(57) **ABSTRACT**

(65) **Prior Publication Data**

US 2010/0112902 A1 May 6, 2010

A method of polishing objects using an apparatus comprised of a rotary positioning device comprising a turret; a base mounted on the turret; a drive wheel connected to a rotatable shaft, the drive wheel having a perimeter, and the rotatable shaft disposed in a housing. The polishing wheel assembly may include an elongated arm including a proximal end joined to the base, and a distal end; a rotatable polishing wheel supported at the end of the elongated arm; and a polishing belt comprising an inner surface and an outer surface, the inner surface engageable with the perimeters of the drive wheel and the polishing wheel. The method is comprised of contacting the outer surface of the polishing belt to a contact region of the surface of the object; and controlling the contact region by rotating the elongated arm around the turret axis.

Related U.S. Application Data

(63) Continuation of application No. 11/743,333, filed on May 2, 2007, now Pat. No. 7,662,024.

(60) Provisional application No. 60/746,346, filed on May 3, 2006.

(51) **Int. Cl.**

B24B 13/00 (2006.01)


B24B 21/02 (2006.01)

(52) **U.S. Cl.** **451/11**; 451/310; 451/307; 451/42

(58) **Field of Classification Search** 451/307, 451/303, 310, 311, 296, 11, 42, 59

See application file for complete search history.

20 Claims, 21 Drawing Sheets



US 7,901,270 B2

Page 2

U.S. PATENT DOCUMENTS

5,367,835 A	11/1994	Turnbull	5,951,375 A	9/1999	Mandler
			6,796,877 B1	9/2004	Bingham et al.
			2005/0079812 A1	4/2005	Bechtold




FIG. 1




FIG. 2A




FIG. 2B




FIG. 3A




FIG. 3B




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13A




FIG. 13B




FIG. 14




FIG. 15A




FIG. 15B




FIG. 16




FIG. 17

METHOD AND APPARATUS FOR PRECISION POLISHING OF OPTICAL COMPONENTS

CROSS-REFERENCE TO RELATED PATENT APPLICATIONS

This application is a continuation application of copending patent application Ser. No. 11/743,333, filed on May 2, 2007, which claims priority from U.S. provisional patent application Ser. No. 60/746,346 filed May 3, 2006, the entire disclosures of which are incorporated herein by reference.

STATEMENT REGARDING FEDERALLY SPONSORED RESEARCH OR DEVELOPMENT

This invention was made with government support under one or more of Contract Numbers W31P4Q-05-C-R048 and W31P4Q-04-C-R101 awarded by the Defense Advanced Research Projects agency (DARPA); and Contract Numbers N41756-05-M-1390 and N68936-06-C-0010 awarded by the Navy Engineering Logistics Office and NAVAIR. The government has certain rights in this invention.

This invention relates in one embodiment to a method and apparatus for polishing objects, and more particularly to a method and apparatus for polishing optical elements.

BACKGROUND OF THE INVENTION

1. Field of the Invention

A method and apparatus for correcting surface errors, and for polishing objects comprising a wide variety of materials and shapes including precision optical surfaces and injection mold inserts having plano, concave, convex, spherical, and other complex surfaces.

2. Description of Related Art

Currently, many optical lenses are made beginning with a "blank" starting part (such blank part being an approximately formed and generally roughly finished piece) in several processing steps. The process steps typically include fine grinding, followed by conventional polishing techniques wherein the surface roughness and surface accuracy of the lens is significantly improved. This prior art process is sufficient for many conventional low-precision lenses. However, when the desired lens has a shape that is not spherical or plano and/or where such conventional methodologies cannot be applied (e.g. to aspherics), or where the lens has very high accuracy requirements, such prior art process is not sufficient. In such circumstances, the method and apparatus of the present invention is advantageous.

Heretofore, a number of patents and publications have disclosed methods, apparatus, and compositions for polishing of precision surfaces. United States Patent Application Publication No. US 2004/0229553 A1 of Bechtold et al., which is assigned to the assignee of the present invention and incorporated herein by reference, describes a tool, apparatus, and method for polishing objects. The tool has a rotatable drive wheel engaged with a polishing wheel by use of a polishing foil formed as a flexible belt. The polishing wheel may have a cavity within, the cavity being inflatable using a variety of fluids having a range of physical properties. The polishing wheel is adjustably positionable against an object to be polished by actuating means joined thereto. The apparatus comprises a multi-axis computer controlled machine to which the tool is attached.

In some circumstances, is preferable to configure such an apparatus with a large diameter drive pulley, relative to the polishing wheel. This provides a large length of wrap of the

polishing belt around the drive pulley so that it does not slip, and it also provides a high belt speed at a relatively low drive pulley rotational speed. However, if one configures the tool and apparatus of the published application of Bechtold et al. with a large driven pulley and a small polishing wheel, it is less capable of polishing deeply concave surfaces. This is because the angle formed by the straight lengths of belt between the drive pulley and the polishing wheel is large, and may even exceed 90 degrees. Thus the polishing wheel and abrasive belt can not be located within an object with a deeply concave surface, since the belt will rub on the edges of the object before the polishing wheel reaches the concave surface.

SUMMARY OF THE INVENTION

Accordingly, embodiments of the present invention are provided that meet at least one or more of the following objects of the present invention.

It is an object of this invention to provide an apparatus and method for precision polishing of objects of a wide variety of materials and shapes.

It is an object of this invention to provide a method, a tool, and an apparatus that has the ability to perform polishing of object surfaces that are deeply concave in shape.

This invention relates to a method and apparatus for correcting figure errors, and for polishing a wide variety of materials and shapes including but not limited to precision optical surfaces, injection mold cavities, thin film coating dies, and the like. The method of the present invention provides for improving and further finishing of a variety of surfaces, ranging from a relatively rough ground surface to a polished surface. The shape of the surfaces of the objects may include deeply concave surfaces.

Typically the part being finished according to the present invention is measured with a coordinate measurement machine (CMM), a surface profilometer, an interferometer, a microscope or some other measuring instrument capable of giving surface roughness and/or profile data. The data from such measurement and analysis is then entered into a machine process-controlling computer that then manipulates the data into process parameters for improving or polishing the desired component by a polishing machine of the present invention. One or more iterations of the process of the present invention may be required to achieve the desired results.

In the preferred embodiment, a polishing assembly comprising a driven abrasive belt is attached to and moved by a rotary positioning device of the polishing machine. The part to be improved or polished, whether spherical, aspherical or parabolic in shape, is placed into the work piece spindle of the polishing machine. If such part is not axially symmetrical, it may be held in a braked position in the work piece spindle, or held in a fixture on a table of the machine. The abrasive belt is then compressed against and traversed in a path over the component. Numerous variables are able to be controlled as process parameters, so that the desired finishing results are achieved.

In accordance with the present invention, there is provided a polishing apparatus comprising a base for affixing structures thereto, a drive wheel connected to a rotatable shaft, a polishing wheel assembly, a polishing belt, and at least one routing wheel engaged with the polishing belt. The rotatable shaft is disposed in a housing that is joined to the base or formed therein. The polishing wheel assembly includes an elongated arm including a distal end, a proximal end joined to the base, and a rotatable polishing wheel supported at the distal end of the elongated arm. The polishing belt is made

with an abrasive outer surface that is applied to the object to perform the polishing, and an inner surface for engagement with the perimeters of the drive wheel and the polishing wheel. The routing wheel is engaged with the outer surface of the polishing belt, such that the contact arc of the polishing belt with the polishing wheel differs from an arc of the polishing wheel perimeter extending from a first tangent line between the drive wheel and the polishing wheel to a second tangent line between the drive wheel and the polishing wheel. The rotating shaft may be driven by an electric, pneumatic, or hydraulic motor, thereby rotating the drive wheel and advancing the polishing belt along the perimeter of the polishing wheel and along the object to be polished.

The polishing belt may be supplied from a supply spool, engaged with the polishing wheel, and wound up on a take-up spool. In the preferred embodiment, the polishing belt is a continuous loop of belt. The diameter of the drive wheel is preferably greater than the diameter of the polishing wheel. The contact arc of the polishing belt with the polishing wheel is greater than an arc of the polishing wheel perimeter extending from a first tangent line between the drive wheel and the polishing wheel to a second tangent line between the drive wheel and the polishing wheel. By configuring the polishing apparatus in this manner, the routing of the belt provides a sharper angle between the free spans of belt material. The apparatus is thus much more capable of reaching the recessed surface of a highly concave object such as a parabolic work piece, while having a wider range of tool paths and angles to polish such an object.

In one embodiment, the elongated arm of the polishing wheel assembly is comprised of a housing including a first portion and a second portion. Each of the housing portions comprise a proximal end and a distal end, with each of the distal ends including a socket formed therein. A first bearing is disposed between the socket of the first housing half and the polishing wheel, and a second bearing is disposed between the socket of the second housing half and the polishing wheel. The sockets may be cylindrically shaped for receiving bearings comprised of an outer race, an inner race, and a plurality of rolling members, such as balls (i.e. a ball bearing) or rollers (i.e. a roller bearing or needle bearing). Alternatively, the sockets may be substantially spherical shaped, for receiving bearings that are simply spherical balls.

The polishing wheel may be comprised of a rigid interior portion including the first socket and the second socket, and an elastic exterior portion. The perimeter of the polishing wheel may be arcuate shaped. The polishing wheel may have an elongated barrel or cylindrical shape having a ratio of length to diameter greater than one.

The polishing apparatus may further include a tensioning wheel engageable with the polishing belt for taking up slack in the belt at the beginning and during a polishing operation. The tensioning wheel may be engaged with the belt by a linear or rotary actuator that deploys the tensioning wheel against the inner or outer surface of the belt.

The polishing apparatus may further include a dressing assembly including a stripping surface that is contactable with the outer surface of the polishing belt. The stripping surface may be a stick of material or a rotating wheel that is applied to the polishing belt. In a preferred embodiment, the dressing assembly is comprised of a dressing belt having an outer surface that is the stripping surface. The dressing belt may be stored on and deployed from a supply spool and wound up on a take-up spool after engagement with the polishing belt outer surface.

The polishing apparatus may further include a polishing spot measurement tool comprised of a deployable housing

containing a light source and a light detector. The tool is preferably retracted when not in use, and deployed by an actuator when a spot measurement is needed. The light source may be a super luminescent light emitting diode (SLED). The measurement is non-contact, i.e. the tool does not touch the surface of the polished spot being measured.

The polishing apparatus may further include polishing wheel position measuring device comprising a laser and a photodetector.

A computer numerically controlled (CNC) machine may be used to articulate the polishing wheel assembly against the surface of the object to be polished. The CNC machine may include a first linear slide movable along a first axis, disposed upon a machine platform; a second linear slide movable along a second axis, engaged with the first linear slide, with the second axis disposed orthogonally to the first axis; a third linear slide movable along a third axis, with the third axis disposed orthogonally to the first and second axes; and a first rotatable positioning device engaged with the third linear slide, the first rotatable positioning device being rotatable around an axis parallel to the second axis and further comprising a turret head. The base of the polishing apparatus is joined to the turret, thereby enabling the polishing wheel assembly to be articulated against the surface of the object to be polished. The CNC machine may further comprise a rotatable spindle for holding an object to be polished. The spindle may hold the object stationary or rotate the object as the polishing wheel and belt are moved along the surface of the object to be polished.

In accordance with the present invention, there is provided a method of polishing objects using an apparatus comprised of a rotary positioning device comprising a turret rotatable around a turret axis; a base for affixing structures thereto, the base mounted on the turret and comprising a plate having a surface defining a plane perpendicular to the turret axis; a drive wheel connected to a rotatable shaft, the drive wheel having a perimeter, and the rotatable shaft disposed in a housing joined to the plate and having a rotational axis that is substantially parallel to the turret axis; and a polishing wheel assembly. The polishing wheel assembly may be comprised of an elongated arm including a proximal end joined to the base, and a distal end; a rotatable polishing wheel supported at the distal end of the elongated arm, the rotatable polishing wheel having a perimeter; and a polishing belt comprising an inner surface and an outer surface, the inner surface engageable with the perimeters of the drive wheel and the polishing wheel. The method is comprised of contacting the outer surface of the polishing belt to a contact region of the surface of the object; and controlling the contact region by rotating the elongated arm around the turret axis.

The apparatus of the present invention and associated methods for using the apparatus are advantageous because the apparatus can be adapted for the polishing of a variety of materials and shapes, particularly those objects having deeply concave shapes. As a result of the invention, articles of manufacture such as precision optics, injection mold cavities, and thin film coating dies can be polished with high precision at a high throughput and low cost.

BRIEF DESCRIPTION OF THE DRAWINGS

The invention will be described by reference to the following drawings, in which like numerals refer to like elements, and in which:

FIG. 1 is a perspective view of a computer numerically controlled machine that includes the polishing apparatus of the present invention;

5

FIG. 2A is a front elevation view of a first embodiment of the polishing apparatus;

FIG. 2B is a front elevation view of a second embodiment of the polishing apparatus;

FIG. 3A is a front elevation view of a third embodiment of the polishing apparatus including additional guidance wheels and components to enable dressing of the polishing belt;

FIG. 3B is a front elevation view of a variant of the embodiment of FIG. 3B including spools of a secondary belt for dressing of the polishing belt;

FIG. 4 is a perspective view that depicts the polishing of an object by the polishing apparatus;

FIG. 5 is a front elevation view that depicts the polishing of an object having a concave surface by the polishing apparatus;

FIG. 6 is a perspective view of one polishing wheel assembly comprising a pair of spherical ball bearings;

FIG. 7 is a side elevation view of the polishing wheel assembly of FIG. 5, taken along the line 7-7 of FIG. 6;

FIG. 8 is a front elevation view of the polishing wheel assembly of FIG. 5, taken along the line 8-8 of FIG. 6;

FIG. 9 is an exploded perspective view of the polishing wheel assembly of FIG. 6;

FIG. 10 is a front elevation view of the interior of one housing half of the polishing wheel assembly;

FIG. 11 is a cross-sectional view of the polishing wheel assembly, taken along line 11-11 of FIG. 8;

FIG. 12 is a perspective view of an alternative polishing wheel assembly comprising a pair or race-type bearings;

FIG. 13A is an exploded perspective view of the polishing wheel assembly of FIG. 12;

FIG. 13B is a cross-sectional view of the polishing wheel assembly of FIG. 12 taken along line 13B-13B of FIG. 12;

FIG. 14 is a side elevation view of a first device used to clean the polishing belt during operation of the polishing apparatus;

FIG. 15A is a side elevation view of a second device and a third device used to clean the polishing belt during operation of the polishing apparatus;

FIG. 15B is a top view of the second device of FIG. 15A, taken along the line 15B-15B of FIG. 15A;

FIG. 16 is a perspective view of a position measurement device for detecting the polishing wheel of the apparatus to an object to be polished; and

FIG. 17 is a front elevation view of the polishing apparatus of FIG. 3B, depicting a spot testing device of the polishing apparatus.

The present invention will be described in connection with a preferred embodiment, however, it will be understood that there is no intent to limit the invention to the embodiment described. On the contrary, the intent is to cover all alternatives, modifications, and equivalents as may be included within the spirit and scope of the invention as defined by the appended claims.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

For a general understanding of the present invention, reference is made to the drawings. In the drawings, like reference numerals have been used throughout to designate identical elements. In describing the present invention, a variety of terms are used in the description:

As used herein, the term figure error (or form error) is the measured global deviation from the desired surface shape e.g., a sphere, asphere or polynomial geometric shape.

6

As used herein, the term polishing, when used in reference to a work piece to be finished, is meant to indicate a chemical and/or mechanical process that ablates material from a surface.

In the following specification, for the sake of linguistic simplification, only optical components, also known as precision optics, or optics generally, are typically mentioned as the work piece. However, it is to be understood that all lenses, spherical and aspherical, conformal optics, mirrors, plano shapes, injection mold components, coating dies, and other articles of manufacture that require highly polished accurate surfaces are also included in the description, and are to be considered as being within the scope of the present invention. Materials that may be finished using the method and apparatus of the present invention include, but are not limited to brittle amorphous materials such as e.g., glass, ceramics, infrared materials such as quartz, visible light and ultraviolet light transmissive materials, and the like. Also included are metals such as e.g., tool steel, stainless steel, and the like; crystalline materials such as e.g. silicon; and any other work pieces requiring high finish and form specifications.

FIG. 1 is a perspective view of a machine that includes the polishing apparatus of the present invention. Machine 10 is preferably a computer numerically controlled (CNC) machine, and is described with respect to the orthogonal X axis 2, Y axis 4, and Z axis 6. A preferred orientation of machine 10 and the polishing apparatus 100 thereof with respect to the X, Y, and Z axes is as shown in FIG. 1. However, it is to be understood that machine 10 may be oriented and operated in positions other than as depicted in FIG. 1 with respect to horizontal X and Y axes 2 and 4 and the vertical Z axis 6.

Machine 10 comprises a machine platform 12 that supports Y-axis linear slide 40, the motion of which is bi-directional along Y-axis 4 as indicated by arrow 99. Linear slide 20, the motion of which is bi-directional along X-axis 2 as indicated by arrow 98, is mounted upon Y-axis linear slide 40. These linear slides 20 and 40 are preferably both computer numerically controlled (CNC) positioning devices, providing programmable motion of spindle 80 in the X-Y plane.

Machine 10 further comprises vertical slide 60 attached to polishing machine frame or plate 14, which is joined to platform 12. The motion of vertical slide 60 is bi-directional along Z-axis 6 as indicated by arrow 97. Machine 10 is preferably provided with turret 70, which is mounted upon vertical slide 60, and which is rotatable around B axis 5 (parallel to Y-axis 4) as indicated by bidirectional arcuate arrow 96. Polishing apparatus 100 of the present invention, to be described subsequently herein, is attached to turret 70.

Machine 10 further comprises a work piece spindle 80 mounted upon linear slide 20. Spindle 80 is a vertically disposed spindle, the central axis 7 of which may be parallel to Z-axis 6. Rotatable work piece chucking device 82 is attached to the end of work piece spindle 80. The work piece 90 to be polished is engaged and held by chuck 82 and may be rotated by spindle 80 around the central rotary axis 7 thereof as indicated by arrow 95. This spindle 80 is also a positioning/variable speed device which will allow for deterministic finishing of form errors that may not be rotationally symmetric such as astigmatism in a spherical optic through controlled slowing or speeding up of the rotation of spindle 80 during each revolution. The motion of spindle 80 is bidirectionally programmable along the X axis 2 and the Y axis 4.

Machine 10 further comprises a polishing apparatus 100 mounted on turret 70. A polishing wheel and polishing belt (to be described subsequently herein), which form part of polishing apparatus 100, may be brought into contact with work

piece **90** by downward motion of vertical slide **60**, and by rotary motion of turret **70** as indicated by arcuate arrow **94**.

The motion of polishing apparatus **100** with respect to work piece **90**, or work pieces of a variety of different shapes is thus fully programmable, and has great flexibility. Machine **10** may articulate apparatus **100** over the surface of object **90** in a complex path in X-Y-Z space. For example, apparatus **100** may be generally advanced along a linear path, but with a circular motion superimposed on such linear path. Such a tool path is known in the art as a trichordal path. Alternatively, such tool paths may include arcuate, zigzag, sinusoidal, or other combinations of motion so as to enhance the removal rate of material from object **90**, and to prevent the occurrence of any "grooving" effect in the object surface during the polishing thereof.

Polishing assembly **100** is preferably configured with a large diameter drive pulley, relative to the polishing wheel. This provides a large length of wrap of the polishing belt around the drive pulley so that it does not slip, and it also provides a high belt speed at a relatively low drive pulley rotational speed. However, in order to enable the polishing apparatus **100** to access the recessed surfaces of deeply concave objects, polishing apparatus **100** is comprised of one or more additional routing wheels to provide the polishing belt with a large angle of wrap around the polishing wheel, and a highly acute angle formed by the two lengths of polishing belt immediately adjacent to the polishing wheel. This feature is best understood with reference to FIGS. 2A-3B, which depict various embodiments of polishing apparatus **100**.

FIG. 2A is a front elevation view of a first embodiment **101** of the polishing apparatus **100**. Apparatus **101** is comprised of a base **110** for affixing and/or supporting various objects thereto. Base **110** is preferably a rigid metal plate such as e.g., aluminum. Drive wheel **120** of apparatus **110** is joined to a rotatable shaft **122**, which is disposed in a housing **124** that may be joined to the base **110**, or formed therein. Housing **124** comprises a bushing or bearing(s) (not shown) so that shaft **122** is rotatable therein. The housing may be a separate bearing block that is joined to the housing, or if the base is sufficiently thick walled, the bearing housing may be formed in the base itself. Rotatable shaft **122** is driven by motor **126**, or other suitable power transmission means, which may include various gears, pulleys, and other drive components (not shown). Drive wheel **120** is disposed on the outer side of base **110**, while motor **126** and housing **124** (if separate from base **110**) are disposed on the inner side, with rotatable shaft **122** passing through a hole (not shown) in base **110**.

Apparatus **101** further comprises a polishing wheel assembly **200** comprised of an elongated arm **211** including a distal end **213**, a proximal end **215** joined to the base, and a rotatable polishing wheel **240** supported at the distal end **213** of the elongated arm **211**. In one embodiment, the elongated arm **211** of the polishing wheel assembly **200** is comprised of a housing **210** including a proximal end **212** and a distal end **214**. The rotatable polishing wheel **240** is supported within the housing **210** at the distal end **214** thereof. Housing **210** is joined to base **110** by a support rod **230**. A polishing belt **130** is fitted to apparatus **101** for the purpose of polishing work piece **90**. Polishing belt **130** comprises an inner surface **132** and an outer surface **134**. The inner surface **132** of belt **130** is engageable with the perimeters of the drive wheel **120** and the polishing wheel **240**. The outer surface **134** of belt **130** is embedded with abrasive particles for performing the polishing material removal when contacted with the object **90**.

Apparatus **101** further comprises at least one routing wheel **140** that is engaged with the outer surface **134** of the polishing belt **130**. In general, the one or more routing wheels position

the free span **131** of polishing belt that is approaching the polishing wheel and the free span **133** of polishing belt that is departing from the polishing wheel at a sharply acute angle to each other, or even substantially parallel to each other. By configuring the polishing apparatus **100-104** (FIGS. 1-3B) in this manner, the apparatus is this much more capable of reaching the recessed surface of a highly concave object such as a parabolic work piece, while having a wider range of tool paths and angles to polish such an object, as will be explained presently in more detail. This manner of configuring the polishing apparatus is particularly useful when the diameter of the drive wheel **120** is much larger than the polishing wheel **240** as shown in FIGS. 2A-3B; or when the drive wheel is offset from the longitudinal axis **298** of the elongated arm **211** of the polishing wheel assembly **200**.

Thus in this configuration, when operating apparatus **101**, routing wheel **140** is engaged with the outer surface **134** of the polishing belt **130** such that the contact arc of the polishing belt with the polishing wheel differs the contact arc that would occur if the polishing belt **130** were directly fitted to the drive wheel **120** and the polishing wheel **240** without one or more routing wheels. When no routing wheels are used, the contact arc of the belt on polishing wheel **240** extends from a first tangent line between the drive wheel and the polishing wheel (which would also be the position of the approaching free span of the polishing belt **130**) to a second tangent line between the drive wheel and the polishing wheel (which would also be the position of the departing free span of polishing belt **130**). It is beneficial to use one or more routing wheels to reposition the approaching and departing free spans of belt such that they are generally parallel to the z-axis, or such that the highly acute angle formed between them is approximately bisected by a line parallel to the z-axis. This results in a contact arc of the polishing belt **130** on the polishing wheel **240** having a center point at the "six-o'clock" position when the polishing machine is in its neutral starting position as shown in FIG. 1, with the longitudinal axis **298** of elongated arm **211** of the polishing wheel assembly **200** disposed vertically. This positioning of the contact arc centered at "six-o'clock" in turn provides the most versatile overall polishing capability, with the maximum possible range of tool paths that can be used on the object to be polished.

In one embodiment (not shown), belt **130** may be provided as a reel of material that is wound on a first spool. Belt **130** may be threaded through the polishing apparatus in a manner similar to that shown in apparatus **100-104** of FIGS. 2A-3B, except that the leading end of belt **130** is fastened to a take-up spool. Belt **130** is then used in a polishing operation in a reel-to-reel manner, such that any given location on belt **130** only makes a single pass over work piece **90**. In another embodiment (not shown), belt **130** may be provided in a "cassette tape" like configuration. In operation, a long length of belt is unwound around a first spool, and wound up on a second spool after passage over the work piece. When the stored belt on the first spool is fully unwound and taken up on the second spool, the direction of the winding is reversed, and the belt is reused. In this manner, a large amount of reusable belt length may be provided for polishing. For both of these embodiments, one or more routing wheels are used to position the approaching span **131** of polishing belt **130**, the departing span **133** of polishing belt **130**, and the contact arc of polishing belt **130** on polishing wheel **240** in the optimum manner as described above.

In the preferred embodiment, the polishing belt is a continuous loop of belt, and the diameter of the drive wheel is greater than the diameter of the polishing wheel. In this embodiment, the one or more routing wheels are positioned

such that the contact arc of the polishing belt **130** with the polishing wheel **240** is greater than the arc of the polishing wheel perimeter that extends from a first tangent line between the drive wheel **120** and the polishing wheel **240** to a second tangent line between the drive wheel **120** and the polishing wheel **240**.

Referring again to FIG. 2A, routing wheel **140** engages with the outer surface **134** of the polishing belt **130** at a contact arc **141** that is disposed between a first tangent line **199** and a second tangent line **198** between the drive wheel **120** and the polishing wheel **240**. In the embodiment **101** depicted in FIG. 2A, it can be seen that the second tangent line **198** in FIG. 2A is actually the portion **131** of the belt **130** between the drive wheel **120** and the polishing wheel **240**. This is in contrast to the embodiment **102** of FIG. 2B, which is provided with first and second routing wheels, as will be describe subsequently herein. Additionally, in the embodiment **101** depicted in FIG. 2A, the contact arc of polishing belt **130** on polishing wheel **240** is greater than the arc of polishing wheel **240** that is between first tangent line **199** and a second tangent line **198** between the drive wheel **120** and the polishing wheel **240**.

It can be seen that by providing routing wheel **140** engaged with the outer surface **134**, polishing belt **130** is routed so that the angle **197** between the free span portions **131** and **133** of belt **130** is a highly acute angle. For example, angle **197** in FIG. 2A is about 10 degrees. In contrast, the angle **196** between tangent lines **199** and **198**, which would be the angle between the free span portions **131** and **133** of belt **130** if routing wheel **140** were not present, is about 22 degrees. Thus the use of at least one routing wheel in routing the belt to provide a sharper angle between the free spans provides an apparatus that is much more capable of reaching the recessed surface of a highly concave object such as a parabolic work piece **92** depicted in FIG. 2A, while having a wider range of tool paths and angles to polish such an object.

In setting up apparatus **101**, the polishing belt **130** may be sized for a snug fit to its path around drive wheel **120**, polishing wheel **240**, routing wheel **140**, and various other routing wheels if such are used. In this instance, polishing belt **130** is stretched slightly in order to fit it over the wheels **120**, **240**, **140**, etc. However, it is preferable that belt **130** be sized slightly longer than is needed to fit around drive wheel **120**, polishing wheel **240**, and within routing wheel **140** to enable easy fitting of belt **130**. Support rod **230** of polishing wheel assembly **200** may be provided with slots (not shown) for engagement with fasteners (not shown), so that rod **230** may be slid downwardly away from drive wheel **120** to take up slack in belt **130** and engage it with portions of the perimeters of drive wheel **120** and polishing wheel **240**.

However, it is preferable to provide an actuator that is operatively connected to a tensioning wheel to take up the slack of belt **130**. The actuator may be controlled by the process control computer that runs the overall machine **10** (see FIG. 1). The actuator is preferably a simple linear actuator, but may also be a rotary actuator, or other cam-type mechanism that displaces the tensioning wheel toward polishing belt **130**. The tensioning wheel may be disposed such that it engages with the inner surface **132** or the outer surface **134** of polishing belt **130**, depending upon the overall design of the polishing apparatus. One exemplary belt tensioning arrangement is depicted in FIG. 2A. Linear actuator **150** is operatively connected to tensioning wheel **152** by rod and yoke **154**. Linear actuator **150** deploys and retracts tensioning wheel **152** to and from belt **130**, as indicated by bidirectional arrow **195**, providing belt tension when deployed, and slack when retracted.

FIG. 2B is a front elevation view of a second embodiment **102** of the polishing apparatus **100**. Polishing apparatus **102** is similar to polishing apparatus **101** of FIG. 2A, except that polishing apparatus **102** comprises two routing wheels **140** and **142** that guide belt **130** to provide a narrow angle between free spans **131** and **133** thereof. Additionally, elongated arm **211** is comprised of a linear actuator **232**, which extends and retracts polishing wheel assembly **200** as indicated by arrow **194** in order to take up or provide slack in belt **130**. It will be apparent that arm **230** could be provided as shown in FIG. 2A, with a linear actuator **150** and tension wheel **152** for the purpose of controlling belt slack. It can also be seen that the routing wheels **140** and **142** are positioned such that the contact arc of the polishing belt **130** with the polishing wheel **240** is greater than the arc of the polishing wheel perimeter that extends from the first tangent line **198** between the drive wheel **120** and the polishing wheel **240** to the second tangent line **199** between the drive wheel **120** and the polishing wheel **240**.

FIGS. 3A and 3B are front elevation views of a third embodiment **103** and a fourth embodiment **104** of the polishing apparatus **100**, including additional routing wheels and components to enable dressing of the polishing belt. Referring first to FIG. 3A, polishing apparatus **103** is housed in an enclosure **105**, which is comprised of base **110**, a horizontally extending wall **106**, and cover **108** (FIG. 1), the shape of which is matched to mate with the outer edge of wall **106**. Enclosure **105** isolates most of the moving polishing belt and wheels from the machine operator, thereby providing greater operator safety.

Polishing apparatus **103** is similar to polishing apparatus **101** and **102** of FIGS. 2A and 2B, and comprises two routing wheels **140** and **142** that guide belt **130**; actuator **232**, which extends and retracts polishing wheel assembly **200**; and actuator **150**, which is operatively connected to tensioning wheel **152**. Belt **130** may thus be provided with additional slack. Actuator **232** may be used to take up the majority of the belt slack after polishing belt **130** is fitted to apparatus **103**, with actuator **150** used to take up the remaining small amount of slack in order to engage belt **130** with drive wheel **120**, polishing wheel **240**, and the various guide wheels and other belt devices. Actuator **232** is operatively connected to polishing wheel assembly **200** by rod **234**.

Apparatus **103** may further include routing wheels **148** and **149**, the position of which may be adjusted in the horizontal direction to provide adjustability of the angle between belt free spans **131** and **133**. In this embodiment, because of the particular arrangement of the belt **130** around routing wheels **140**, **142**, and **144**, and tensioning wheel **152**, routing wheels **148** and **149** are engaged with the inner surface of polishing belt **130**. Apparatus **103** may further include guide wheels **144** and **146** to provide the capability of guiding belt **130** past or through additional belt treating devices, such as belt dresser **300** to be described subsequently herein.

FIG. 3B is a front elevation view of a variant of the embodiment of FIG. 3A including spools of a secondary belt for dressing of the polishing belt. Polishing apparatus **104** is similar to polishing apparatus **103** of FIG. 3A and may comprise a first routing wheel **140** that guides belt **130**; actuator **232**, which extends and retracts polishing wheel assembly **200**; and actuator **150**, which is operatively connected to tensioning wheel **152**. Apparatus **104** may further include routing wheels **148** and **149**. In this embodiment, routing wheels **148** and **149** are engaged with the outer surface **134** of polishing belt **130**, thereby providing substantially parallel and more narrowly spaced belt free spans **131** and **133**. Apparatus **103** may further include guide wheels **144** and **146** to

11

provide the capability of guiding belt **130** past or through additional belt treating devices, such as belt dresser **301** to be described subsequently herein.

FIG. **4** is a perspective view that depicts the polishing of an object by the polishing apparatus, and FIG. **5** is a front elevation view that depicts the polishing of an object having a concave surface by the polishing apparatus. Polishing belt **130** is wrapped around and engaged with a portion of the perimeter of polishing wheel **240**, such that the motion of belt **130** as indicated by arrows **193** and **192**, result in the rotation of polishing wheel **240** as indicated by arcuate arrow **299**. Polishing wheel **240** preferably has an elastic outer surface and deforms when pressed onto work piece **90**. Polishing belt **130** thus contacts work piece **90** in a generally elliptical spot at contact region **91**.

The size and shape of the spot, and the rate of material removal at contact region **91** depends upon a number of operating parameters, and can be measured by certain features of the apparatus, as will be described subsequently herein. The location of contact region **91** on work piece **90** is determined by the motion of polishing apparatus **100** in the x and y planes **2** and **4** (see FIG. **1**), the rotation of the polishing apparatus **100** around axis **5** (see FIG. **1**) as indicated by arcuate arrow **94**, the positioning of work piece **90** along the z axis **6** (see FIG. **1**) and the rotation of work piece **90** by spindle **80** as indicated by arrow **95**.

Referring again to FIGS. **3A** and **4**, the polishing machine **10** may further comprise liquid supply tubes for delivering liquid materials to the polishing assembly and the work piece. Supply tube **32** may be used to deliver a liquid stream of coolant, such as water, or a typical machine tool coolant liquid. In one preferred embodiment, tube **32** is used to deliver a mist of air and fine water droplets. Supply tube **34** may be used to deliver a stream of abrasive polishing slurry, such as cerium oxide. Such a slurry may be used when polishing belt is not provided with abrasive particles on the outside surface or impregnated therein. In a further embodiment, a third fluid delivery tube (not shown) is provided so that machine **10** has the capability of providing abrasive slurry, liquid coolant, and an air/liquid mist coolant to the contact region **91** of the work piece.

With regard to the polishing apparatus **100-104** of FIGS. **1-3B**, the actuators **152** and **232**, and other actuators subsequently described herein may be pneumatic or hydraulic cylinders, rodless cylinders, stepper motors or other electromechanical actuators used to provide linear motion, either directly, or through rotational motion converted to linear motion such as by a cam or a coupled rod. Such actuators may be further provided with position sensing means, and/or position control means, and communication means for control thereof by an external process controller.

Suitable polishing belts may include the two piece polishing foil type belts comprised of an elastic inner band, and an abrasive ring outer band as disclosed in the aforementioned United States Patent Application Publication No. US 2004/0229553 A1 of Bechtold et al.

Alternatively, the polishing belt **130** may also be of unitary construction. Such a belt may be a solid band comprising multiple layers, including a structural layer of resin and fiber that provides structural strength and wear resistance needed to run on the various wheels without breaking or wearing; and an abrasive layer adhered or coated on the exterior, which provides the abrasive material used to polish the work piece **90**. Examples of suitable single band polishing belts include belts comprising diamond, alumina, and/or silicon carbide particles. In one embodiment, a belt made of TRIZACT® abrasive manufactured and sold by the 3M Corporation (Min-

12

nesota Mining and Manufacturing) of St. Paul, Minn. is used. Depending upon the scale of polishing apparatus **100**, the width of polishing belt **130** may vary from about 0.125 inch to about 4 inches. In preferred embodiments, the width of belt **130** is between about 0.375 inch and 1 inch.

Depending upon the particular setup of polishing apparatus **100**, the circumference of belt **130** may be between about 20 inches and about 60 inches, although if polishing apparatus **100** is scaled up or down, belt **130** may need to be dimensioned outside of this range. A large circumference of belt **130** is advantageous from the standpoint of "abrasive capacity," i.e. belt **130** has a greater surface area to perform the polishing of the work piece **90**, and thus does not wear out as quickly with the finishing of the work piece.

In the applicants' aforementioned U.S. provisional patent application Ser. No. 60/746,346, the applicants have described and shown in FIGS. **6-13** one embodiment of a polishing wheel assembly comprised of a first portion and a second portion, each of the housing portions comprise a proximal end and a distal end, with a polishing wheel disposed between bearings held in the distal ends of the housing portions. The entire disclosure of this provisional patent application is incorporated herein by reference.

FIGS. **6-11** and FIGS. **12-13B** of the instant application depict two alternative embodiments of polishing wheel assemblies that can be used with the applicants' polishing apparatus. More specifically, FIG. **6** is a perspective view of a first alternative polishing wheel assembly; FIG. **7** is a side elevation view of the polishing wheel assembly of FIG. **6**, taken along the line 7-7 of FIG. **6**; FIG. **8** is a front elevation view of the polishing wheel assembly of FIG. **6**, taken along the line 8-8 of FIG. **6**; FIG. **9** is an exploded perspective view of the polishing wheel assembly of FIG. **6**; FIG. **10** is a front elevation view of the interior of one housing half of the polishing wheel assembly taken along line 10-10 of FIG. **9**; FIG. **11** is a cross-sectional view of the polishing wheel assembly, taken along line 11-11 of FIG. **8**.

Referring first to FIGS. **6-8**, polishing wheel assembly **201** is comprised of a housing **250** comprising a first portion **251** and a second portion **252**. First housing portion **251** comprises a proximal end **253** and a distal end **255**, and second housing portion **252** comprises a proximal end **254** and a distal end **256**. Referring also to FIGS. **9-11**, each of the distal ends **255** and **256** include sockets **257** and **258** formed therein for holding ball bearings **261** and **262** therein. Polishing wheel **240** may be comprised of a rigid interior portion **242** including a first socket **241** and a second socket **243**, and an elastic exterior portion **246**, which may be formed of suitable elastomers such as rubber, polyurethane, or silicone, or a harder or higher durometer polymer. It is preferable that such elastomeric material be of a Shore A durometer between about 10 and about 90, with the particular durometer depending upon the polishing application. The elastic exterior portion **246** of polishing wheel **240** may be provided with a flat surface **279**, or a generally arcuate surface **279A**, which may be a spherical surface. Polishing belt **130**, which is under tension, conforms to this surface **279/279A** as it wraps around the perimeter of polishing wheel **240** during a polishing operation. This wrapping action results in better tracking of polishing belt **130** on polishing wheel **240**. In addition, the radius of curvature and/or the curvature profile (spherical, elliptical, hyperbolic, etc.) of an arcuate surface **279A** partially determines the tool spot size during a polishing operation, in combination with the hardness of elastic wheel portion **246** and the application force of polishing wheel **240** against the work piece **90** (FIG. **5**).

A first ball bearing **261** is disposed between the socket **257** of the first housing portion **251** and the first socket **241** of the polishing wheel **240**; and a second ball bearing **262** is disposed between the socket **258** of the second housing portion **252** and the second socket **243** of the polishing wheel **240**. Polishing wheel **240** is thus suspended and rotatable between housing portions **251** and **252** by virtue of being supported by ball bearings **261** and **262**.

The applicants' polishing wheel **240** is precisely suspended and runs with minimal friction or vibration, which is advantageous in performing highly precise polishing operations with the applicants' polishing assembly. In the embodiment of FIGS. **6-11**, in which a pair of ball bearings are used, this precise suspension of the polishing wheel **240** is achieved by certain features of the housing portions **251** and **252**, the polishing wheel **240**, and the applicants' preferred process for fabricating the overall polishing wheel assembly.

The process comprises the first step of providing the housing portions **251** and **252**, wherein when housing portions **251** and **252** are fastened to each other, the bearing sockets **257** and **258** are positioned opposite of each other. In one preferred embodiment depicted herein, housing portions **251** and **252** are made as half portions that are identical to each other. Referring to FIGS. **9** and **10**, it can be seen that when identical housing halves **251** and **252** are turned to face each other, the housing halves can be joined together. Dowel pins **259** of one housing half are mated with dowel holes **260** of the opposite housing half to accurately align the two housing halves when they are joined to each other. Through holes **263**, which are adjacent to hex sockets **264**, are provided to accept threaded screws and hex nuts (not shown) for joining halves **251** and **252** to each other.

Wheel **240** and ball bearings **261** and **262** are also provided to form the wheel assembly **200**. Referring in particular to FIG. **11**, in an intermediate fabrication step, a moldable bearing material is provided in liquid or putty form, such bearing material being flowed into the sockets **257** and **258** of housing portions **251** and **252**, and into the sockets **241** and **243** of polishing wheel **240**. The ball bearings **261** and **262**, coated with a slight amount of release agent such as a silicone oil, are placed in the sockets **241** and **243** of the polishing wheel **240**, and then the wheel **240** and bearings **261** and **262** are placed in housing half **251** with bearing **261** in socket **257**. Housing half **252** is temporarily fastened to housing half **251** with bearing **262** in socket **258**. Any excess bearing material may be vented out through holes **265** and **266** of housing portions **251** and **252**. Polishing wheel **240** may also be also provided with recesses for displacement of excess bearing material within wheel **240**. The moldable bearing material **270** is allowed to cure into a hardened state.

Precise alignment of polishing wheel **240** within housing **250** may be further attained by the placement of a pair of O-rings (not shown) in O-ring grooves in housing portions **251** and **252**, and O-ring grooves in wheel rim **242** as described in the applicants' aforementioned provisional patent application 60/746,346. These O-rings help to maintain a uniform separation gap between the polishing wheel **240** and the housing portions **251** and **252**.

The moldable bearing material is preferably a hard, low friction material with self-lubricating properties. One preferred moldable bearing material is MOGLICE®, which is manufactured by Diamant Metallplastik GMBH of Moenchengaldbach West Germany. This material is provided in liquid or putty form, and cures into a hard solid material with a low coefficient of friction. One particular preferred formulation of MOGLICE® is Moglice Putty Hard, which is

a no-slump putty that can be applied to vertical or overhead surfaces without running or dripping.

After the moldable bearing material **270** has fully cured, the housing portions **251** and **252** are separated from each other. Any small excess material that has extruded into the gap between the polishing wheel **240** and the housing portions **251** and **252** is trimmed or machined away. Additionally, the circular ring of contact between the ball bearings **261** and **262** and the sockets **241** and **243** of the polishing wheel **240** may also be machined slightly to be slightly recessed from the cured bearing material **270**, so that the ball bearings **261** and **262** only run on the cured bearing material **270** when the polishing wheel assembly **201** is reassembled.

Thus by using the components of the applicants' polishing wheel assembly, along with a low-friction moldable bearing material, a highly precise, smoothly running durable assembly is made, without the requirement that the individual housing portions **251** and **252** and the polishing wheel **240** be made with high precision, which would make such components more costly.

Additional features of the housing portions **251** and **252** are now described. Referring to FIG. **10**, housing portions **251** and **252** are provided with upper and lower recesses **275** and **277**, which serve to improve melt flow and reduce the material usage when the housing portions are made of molded plastic or composite material. Additionally, when housing portions **251** and **252** are fitted together, the upper recesses **275** form a rectangular cavity which can accept support bar **234** (see FIG. **6**), which is used to joint the polishing wheel assembly to base **110** (see FIG. **3**).

Housing portions **251** and **252** may be made of any suitable rigid structural material. The housing portions are preferably made of a molded polymer material. In one preferred embodiment, housing portions **251** and **252** are made of glass fiber-reinforced acrylonitrile butadiene styrene (ABS.) Housing portions **251** and **252** may also be made of a metal such as aluminum, steel, stainless steel, or brass.

FIG. **12** is a perspective view of a second alternative polishing wheel assembly comprising a pair of race-type bearings; FIG. **13A** is an exploded perspective view of the polishing wheel assembly of FIG. **12**; and FIG. **13B** is a cross-sectional view of the polishing wheel assembly of FIG. **12** taken along line **13B-13B** of FIG. **12**. Polishing wheel assembly **202** is comprised of a housing **280** comprising a first portion **281** and a second portion **282**. First housing portion **281** comprises a proximal end **853** and a distal end **285**, and second housing portion **282** comprises a proximal end **284** and a distal end **286**. Each of the distal ends **285** and **286** include generally cylindrical sockets **287** and **288** formed therein for holding race-type bearings **291** and **292** therein.

Bearings **291** and **292** are comprised respectively of inner races **293** and **294**, outer races **295** and **296**, and a plurality of rolling members (not shown) contained within the bearing races. Polishing wheel **220** may be comprised of a rigid interior portion or hub **222**, and an elastic exterior portion **226**, which may be formed of suitable elastomers as described previously herein for polishing wheel **240**. Polishing wheel **220** is further comprised of spindle **224**, which is provided with a close-tolerance fit within hub **222** and within the inner races **293/294** of bearings **291/292**, in order to enable smooth rotation of wheel **240**. The perimeter of the polishing wheel **220** may be arcuate shaped, as described previously herein. The polishing wheel **220** may have an elongated barrel or cylindrical shape having a ratio of length to diameter greater than one.

The polishing apparatus may further include a dressing assembly including a stripping surface that is contactable

15

with the outer surface of the polishing belt. The stripping surface may be a bar or stick of material or a rotating wheel that is applied to the polishing belt. In a preferred embodiment, the dressing assembly is comprised of a dressing belt having an outer surface that is the stripping surface. The dressing belt may be stored on and deployed from a supply spool and wound up on a take-up spool after engagement with the polishing belt outer surface.

FIG. 14 is a side elevation view of a first device 300 (also shown in FIG. 3A) that is used to dress the polishing belt 130 during operation of the polishing apparatus. As used herein, the term "dressing a polishing belt" is meant to indicate a cleaning of the belt 130, wherein accumulated particles of material from the work piece 90 and/or a polishing slurry (if used) are dislodged from the rough abrasive outer surface 134 of the belt, so that the belt maintains its abrasive polishing capability. Referring to FIG. 14, dressing device 300 is comprised of an abrasive bar 302 that provides a stripping surface. Bar 302 is operatively connected to an actuator 304, and backing wheel 306. Abrasive bar 302 is movable by actuator 304 as indicated by bidirectional arrow 399. In FIG. 14, abrasive bar 302 is shown deployed against the abrasive surface 134 of belt 130. At the startup of the polishing process, prior to the contacting of the polishing belt with the work piece, belt 130 may be dressed by abrasive bar 304. The bar is then retracted from the belt and polishing proceeds. The belt may be further dressed intermittently during the polishing process.

In an alternate embodiment, backing wheel 306 may be replaced by a backing block 308 (see FIG. 15A). Backing block 308 is partially rotatable around mounting pin 310, so that surface 311 of backing block 310 aligns with belt 130 and abrasive bar 302. In one embodiment, abrasive bar 302 may be made of alumina or silicon carbide.

FIG. 15A is a side elevation view of a second device 301 (also shown in FIG. 3B) that may be configured in at least two ways to clean the polishing belt during operation of the polishing apparatus, and FIG. 15B is a top view of the device of FIG. 15A, taken along the line 15B-15B of FIG. 15A. In one configuration, dressing device 301 is comprised of dressing wheel 312 that provides a stripping surface against the outer surface 134 of belt 130. Dressing wheel 312 is operatively connected by shaft 314 to motor 316. During a belt dressing operation, dressing wheel 312 is rotated by motor 316 as indicated by arrow 397. Alternatively, wheel 312 may be driven by the motion of the belt 130, similar to methods used in brake dressing. In this embodiment, an adjustable tension or drag is applied to the wheel 312 or shaft 314, which minimizes its ability to rotate as fast as belt 130 would spin wheel 312 if no drag were present.

Dressing wheel 312 and motor 316 are movable by actuator 304 as indicated by bidirectional arrow 396. In FIG. 15A, dressing wheel 312 is shown slightly retracted from the abrasive surface 134 of belt 130. At the startup of the polishing process, prior to the contacting of the polishing belt 130 with the work piece 90, belt 130 may be dressed by dressing wheel 312 by deploying dressing wheel 312 against the abrasive surface 134 of belt 130. The inner surface 132 of belt 130 runs against surface 311 of backing block 310 during the dressing operation. The dressing wheel 312 is then retracted from the belt and polishing proceeds. The belt 130 may be further dressed intermittently during the polishing process. Suitable materials for dressing wheel 312 include porous ceramic materials such as alumina, which is typically used in cylindrical grinding stones.

FIG. 15A also depicts a second configuration of dressing device 301 which includes a dressing belt that is unwound

16

from a supply spool, applied to the polishing belt to dress it, and wound up on a windup spool. The dressing belt provides a stripping surface against the outer surface 134 of belt 130. In this embodiment, object 312 is not a dressing wheel. Instead, object 312 is a rectangular block of material with an upper surface that is substantially the same shape as the lower surface of backing block 310. At the startup of the polishing process, prior to the contacting of the polishing belt 130 with the work piece 90, belt 130 may be dressed between backing block 310 and dressing block 312. Dressing block 312 is deployed upwardly, displacing dressing belt 320 against the abrasive surface 134 of belt 130. The inner surface 132 of belt 130 runs against surface 311 of backing block 310 during the dressing operation, while the outer surface 134 of belt 130 runs against a corresponding portion of dressing belt 320 that functions as a stripping surface. The dressing block 312 is then retracted from the belt and polishing proceeds.

The belt 130 may be further dressed intermittently during the polishing process. A fresh section of stripping surface on dressing belt 320 can be provided by rotationally indexing windup spool 322 and supply spool 324 as indicated by arcuate arrows 395 and 394. Referring also to FIG. 3A, windup spool 322 may be driven by suitable means, such as by motor 326, speed reducer 328, and drive belt 330 that is engaged with windup spool 322.

In a further embodiment, polishing apparatus is provided with a vacuum tube 318, which is located in close proximity to the dressing device 301. Vacuum tube 318 evacuates any particulate matter that is dislodged from belt 130 during the dressing operation.

FIG. 16 is a perspective view of an position measurement device for aligning and/or detecting the position of the polishing wheel of the apparatus to an object to be polished. Position measuring device 340 is comprised of a U-shaped housing 342 that includes a horizontal base 344, a first upright housing member 346, and a second upright housing member 348. A laser 350 is contained in first upright housing member 346, and a photodetector is contained in second upright housing member 348. In performing an position measuring operation, position measuring device 340 is placed upon the upper surface of spindle 82. Laser 350 emits laser beam 351 toward photodetector 352. When the path from laser 350 to photodetector 352 is unobstructed, photodetector 352 detects laser beam 351. Polishing assembly 100 may be slowly lowered by CNC machine 10 (see FIG. 1) such that the lower edge 135 of polishing belt 130 breaks laser beam 351. This interruption of beam 351 is detected by photodetector 352, and the precise location of the polishing spot portion of polishing belt 130 is thus detected, and can then be programmed into the system to perform a polishing operation. In one embodiment, position measuring device 340 may be purchased as a fully assembled unit, such as a Mida series laser manufactured by Marposh S.p.A. of Bentivoglio, Italy.

FIG. 17 is a front elevation view of the polishing apparatus of FIG. 3B, depicting a spot testing device of the polishing apparatus. Referring to FIGS. 3B and 17, polishing apparatus 104 (or apparatus 100-103 of FIGS. 1-3A) may further include a polishing spot measurement tool 360 comprised of a "light pen" 361 including deployable housing 362 containing a light source and a light detector. Deployable housing 360 may be deployed and retracted by actuator 364. When tool 360 is not in use, deployable housing 362 is retracted up to the horizontal position along the lower portion of base 110, as shown in FIG. 3B. The measurement is a non-contact, i.e. the light pen does not touch the surface of the polished spot being measured.

17

Spot testing device can be used to perform a spot measurement as follows. When apparatus **104** is fully set up for polishing, the polishing belt **130** running on polishing wheel **240** is contacted briefly with the work piece **90** under precisely controlled conditions, thereby making a slight generally elliptical shaped polished test spot on work piece **90**. Apparatus **104** is then raised, withdrawing polishing belt **130** from contact with work piece **90**, and apparatus **104** is rotated by turret **70** as indicated by arcuate arrow **395**. Actuator **364** deploys housing **362** via motion of rod **366** as indicated by arrow **394** and arcuate arrow **393** to a substantially vertical position. Housing **362** is positioned so that the distal end **363** thereof is proximate to or directly above the test spot in work piece **90**. The light source (not shown) within housing **362** is energized, and light beam **368** is directed to or near the test spot. Light is reflected back from work piece **90**, back into housing **362** to a light detector contained therein.

The spectral content of back reflected light varies from the region outside of the spot, and within the spot, and is also dependent upon the depth of removal within the spot. By scanning the light pen **361** over the region of the test spot using a control program of CNC machine **10** (FIG. 1), the shape and spatial depth variation of the spot can be measured. The overall rate of material removal of the apparatus **104** can thus be calculated, and used to program an overall deterministic finishing process for the work piece **90** to be executed by CNC machine **10**.

When the spot measurement is completed, the housing **362** of light pen **361** is retracted back to the horizontal position along the lower portion of base **110**, as shown in FIG. 3B, as indicated by arrows **391** and **392**. Apparatus **104** is rotated back to a polishing position by turret **70** as indicated by arcuate arrow **390**.

In one embodiment, light pen **361** may be purchased as a fully assembled unit, such as a Model CHR150, manufactured by Stil S. A. of Aix en Provence, France.

It is, therefore, apparent that there has been provided, in accordance with the present invention, an apparatus and methods for polishing of optics and other objects having high precision surfaces. While this invention has been described in conjunction with preferred embodiments thereof, it is evident that many alternatives, modifications, and variations will be apparent to those skilled in the art. Accordingly, it is intended to embrace all such alternatives, modifications and variations that fall within the spirit and broad scope of the appended claims.

What is claimed is:

1. A method for polishing objects, comprising:

a. providing a polishing apparatus comprised of:

i. a rotary positioning device comprising a turret rotatable around a turret axis;

ii. a base for affixing structures thereto, the base mounted on the turret and comprising a plate having a surface defining a plane perpendicular to the turret axis;

iii. a drive wheel connected to a rotatable shaft, the drive wheel having a perimeter, and the rotatable shaft disposed in a housing joined to the plate and having a rotational axis that is substantially parallel to the turret axis; and

iv. a polishing wheel assembly comprising an elongated arm including a proximal end joined to the base, and a distal end; a rotatable polishing wheel supported at the distal end of the elongated arm, the rotatable polishing wheel having a perimeter; and a polishing belt comprising an inner surface and an outer surface, the

18

inner surface engageable with the perimeters of the drive wheel and the polishing wheel;

b. contacting the outer surface of the polishing belt to a contact region of the surface of the object; and

c. controlling the contact region by rotating the elongated arm around the turret axis.

2. The method of claim **1**, further comprising moving the apparatus in a linear path with respect to the object.

3. The method of claim **2**, further comprising superimposing a circular motion on the linear path.

4. The method of claim **1**, further comprising moving the apparatus with respect to the object in a path selected from arcuate, zigzag, sinusoidal, and combinations thereof.

5. The method of claim **1**, further comprising holding the object stationary during polishing.

6. The method of claim **1**, further comprising rotating the object during polishing.

7. The method of claim **6**, further comprising varying the rotational speed of the object during polishing.

8. The method of claim **1**, further comprising measuring the object to be polished prior to polishing, and determining polishing process parameters for operation of the apparatus during polishing.

9. The method of claim **1**, wherein the polishing belt is a continuous loop of belt, and the method further comprises driving the continuous loop of belt in repeated cycles around the perimeters of the drive wheel and the polishing wheel.

10. The method of claim **1**, wherein the polishing belt is wound on a first spool, and the method further comprises unwinding the belt from the first spool, around a portion of the perimeter of the polishing wheel, and winding the belt onto a second spool.

11. The method of claim **1**, further comprising delivering a liquid to the contact region during polishing.

12. The method of claim **1**, wherein the apparatus is further comprised of a dressing assembly including a stripping surface that is contactable with the outer surface of the polishing belt, and the method further comprises dressing the polishing belt with the stripping surface.

13. The method of claim **12**, wherein the dressing assembly is comprised of a dressing belt having a surface that is the stripping surface and the method further comprises contacting the stripping surface of the dressing belt with the outer surface of the polishing belt.

14. The method of claim **12**, wherein the dressing assembly is comprised of an abrasive bar having a surface that is the stripping surface and the method further comprises contacting the stripping surface of the abrasive bar with the outer surface of the polishing belt.

15. The method of claim **12**, wherein the dressing assembly is comprised of a dressing wheel having a surface that is the stripping surface and the method further comprises contacting the stripping surface of the dressing wheel with the outer surface of the polishing belt.

16. The method of claim **1**, wherein the apparatus is further comprised of a position measuring device comprising a laser and a photodetector, and the method further comprises measuring the position of the polishing wheel with respect to the object.

17. The method of claim **16**, further comprising adjusting a parameter of the polishing apparatus after measuring the position of the polishing wheel with respect to the object.

18. The method of claim **1**, wherein the apparatus is further comprised of a polishing spot measurement tool comprising a housing containing a light source and a light detector, and the method further comprises measuring the contact region between the polishing belt and the surface of the object.

19

19. The method of claim **18**, wherein the housing of the spot measurement tool is deployable and retractable, and the method further comprises deploying the spot measurement tool, measuring the contact region, and retracting the spot measurement tool.

20

20. The method of claim **18**, further comprising adjusting a parameter of the polishing apparatus after measuring the contact region.

* * * * *